: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Tuesday, 10/06/2008 3:14:37 PM

User:

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

: D2573

: N/A

: E

- D2573 REV E

: 30/06/2008

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 39808

Estimate Number

: 10533

P.O. Number

Julie Lecoca

: 10/06/2008

This Issue Prsht Rev. : NC

First Issue **Previous Run** : 11

Type

: MACHINED PARTS

: 39475

Written By

Comment

Checked & Approved By

S.O. No. :

As Per RevE 06-01-27

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description: Saddle Billet

1.0 D6101007

Comment: Qty.:

1.0000 Each(s)/Unit

8.0000 Each(s) Total:

7075-T7351 8.25X7.75X2.5

Make from D6101-007 billet for D2573

Ensure that grain is along 7.75" length

Batch No: 34875

08/07/06

2.0

HAAS1

HAAS CNC VERTICAL MACHINING #



Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No. 39808 Double check by:



1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

- 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
- 4-Deburr and remove all machining marks
- 5-Tumble to remove sharp edges.

08/07/06

3.0

MILLING CONV

CONVENTIONAL MILLING MACHINE



Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2573 & D2574

INSPECT PARTS AS THEY COME OFF MACHINE

Each

4.0

QC2



Comment: INSPECT PARTS AS THEY COME OFF MACHINE



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES										
DATE	STEP	PROCE	DURE CHANGE	* * * * * * * * * * * * * * * * * * *	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
		1	• ,									
		2										
						······································						
				• *								

Part No: D 2573

PAR #: NA Fault Category: Pod Mahad Police: No DQA: D Date: 0007/10

QA: N/C Closed: Date: <u>Aloriu</u>

NCR:39	1808	W	WORK ORDER NON-CONFORMANCE (NCR)									
DATE	OTED	Description of NC		Corrective Action Section B	Verification	Approval	Approval					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC inspector				
1 /.		piece scrap, the	M	SCRAP and	and		NID					
080406	2	thickness of the skidtube a island too thin of .040" R.C. the dowel sin bruke		Doston'	00/07/06	8	0/4/1					
		R.C. the dowel sin brake inside the crossbute, hale and	8/3/15	and Replace	0.0,000	08/2/2	98/07/07	06/-/				
		start to vibrate (Todling)	990.70	B& B34675				0000007				
		to Remove chatter the	,									
		Keyway will be her										
		Shallan										
:							100					
							~	-				
				·				/				

NOTE: Date & initial all entries

Tuesday, 10/06/2008 3:14:37 PM Date: User: Julie Lecocq **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 39808 Part Number: D2573 Job Number: Seq. #: Description: **Machine Or Operation:** SECOND CHECK 5.0 QC8 Comment: SECOND CHECK 6.0 HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING 7.0 m 102925 **Comment: POWDER COATING** Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 START TIME: **OVEN TEMPERATURE:** FINISH TIME: QC3 INSPECT POWDER COAT/CHEMICAL CONVE 8.0 08-07-0 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:__ 10.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES											
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector						
	,		-										
,													
Dort No.	-	DAD # Foult Cotomon	NOD. V.	N. DO		Data	<u> </u>						

	WORK ORDER NON-CONFORMANCE (NCR)										
:	Description of NC		Corre	ctive Action Section B	Verification	A	Ammanal				
STEP	Section A	Initial Chief Eng		Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector			
;	•						,				
				•		,					
!						•		-			
:											
				•							
	STEP	STEP Description of NC Section A	Section A Initial	STEP Section A Initial	STEP Section A Initial Action Description	STEP Section A Initial Action Description Chief Eng Chief Eng Date	STEP Section A Initial Chief Eng Action Description Chief Eng Section C Section C	STEP Section A Initial Chief Eng Action Description Sign & Date Chief Eng Ch			

NOTE: Date & initial all entries

QA: N/C Closed: ____ Date: ____

DART AEROSPACE LTD	Work Order:	39808
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

•••				Red	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443		-440	-440	.440	,440		
В	1.745	1.755		1.750	1:750	1.750	1-750		
С	3.495	3.505		3,500	3.500	3.500	3,500		
D	1.745	1.755		1.750	1.750	7-750	1,750		
E	7.990	8.010		8.001 -491	7.998	7.999	8.600		
F	0.490	0.510		-491	.497	.496	.499		
G	0.257	0.262	1	258	.258 .377	258	-259		
Н	0.375	0.380		377	-377	.377	- 378		-
ı	0.490	0.510		.501	- 500	, B 00	.499		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		:568	. 567	-567	.568		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2,500	2,500	2,5∞	2.500		
0	4.119	4.129	-	4.124	4-124	4.124	4.123		
Р	0.115	0.135		122	-122	-124	,125		
Q	0.115	0.135		- 135	-135	-135	.135		
R	0.240	0.260	:	.250	251	×252	.252		
S	0.115	0.135		-120	.122	.117	.127		
T	0.178	0.198		-188	.188	781.	1.188		
U	3.210	3.250		3 <i>230</i>	3,230	3.230	3.229		•
V	0.230	0.250		.240	-240	<i>-</i> 238	.242		
W	0.115	0.135		-123.	- 125	-126	.129		
Х	0.308	0.313		-310	3/0	13/6	.3/0		
Ý	0.760	0.765		760	.760	.766	-760		
Z	0.352	0.372		-366	361	362	.362		
AA	0.470	0.530		.500	-500	.500	,506		
AB	0.615	0.635		626	-435	631	.628		
AC	0.053	0.073		.0(3)	-013	.063	.063		
AD	0.240	0.260		-245	.248 .248	241	-247		
AE	1.500	1.520		1-5/3	1.513	1.516	1.5/8		
AF	0.115	0.135		.125	.125	.125	125		
AG	0.240	0.280		. 260	-260	.260	.260		
AH	0.240	0.260		-253	.251	.248	1.253		•
ΑI	2.000	2.020		2,000	2-001	2003	2.004		
AJ	0.023	0.043		.033	,033	.033	.033		
	Acc	ept/Reje	ct						

Measured by:	Audited by
Date: 08 07 04	Date: OSOTO

	Date	Change	Revised by	Approved
Γ	001 - 8 00	New Issue	RF	
Γ	02.09.26	Re-format; Added Rev. D	KJ	
	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
Γ	05.05.05	Added dimension Al	KJ/RF	-1
	05.12.05	Added dimension AJ	KJ/JLM 🚓	
		7.13.3.5.5.3.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		*

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES												
DATE	STEP	PR	OCEDURE CH	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector					
									• .					
Part No:		PAR #:	Fault Category: NO			NCR: Yes No DQA: Date:								
		T	WORK OR	DED NON CONFORM			ea:	Date:						
NCR:			WORK ORI	DER NON-CONFORM	ANCE (NC	K)								
DATE	STEP	Description of NC Section A	Initial	ion B Sign		cation tion C	Approval Chief Eng	Approval QC Inspector						
		Jection A	Chief Eng	Action Description Chief Eng	Date		lion C	Cilier Ling	QC mspecior					
				· · · · · · · · · · · · · · · · · · ·										
		•												
÷														

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	59808
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Re	ons				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443		.440	,440	. 440	,440		
В	1.745	1.755		1.750	1.750	1.750	1,750		
С	3.495	3.505		3,500	3,500	3,500	2,500		
D	1.745	1.755		1.750	L.750	1,750	1,750		
E	7.990	8.010	 	8.000	8.000	7 999	8.000		
F	0.490	0.510		1,502	.505	.502	-506		
G	0.257	0.262		259	-26h	259	-259		
Н	0.375	0.380		. 378	378	378	.378		
I	0.490	0.510		570	.300	. STOD	500		
J	1.174	1.184		1.186	1.130	1.179	1.179		
K	0.558	0.578		566	.566	.566	, 568		
L	1.174	1.184		1.180	1.186	1.179	1.179		
М	1.365	1.375	<u> </u>	1,369	1.2/19	1.370	1.370		
N	2.495	2.505		2.500	2.500	2500	2,500		,
0	4.119	4.129		4.122	4.121	4.122	4.124		
Р	0.115	0.135	125	12/2/	-125	124	120		
Q	0.115	0.135		1.135	.135	135	.135		
R	0.240	0.260		252	252	252	.252		
S	0.115	0.135		1.123	127	.122	123		
Т	0.178	0.198		188	. 188	188	-188		
U	3.210	3.250		3,228	3,228	13.228	-188 3.228		
V	0.230	0.250		-240	· 241	.242	.240		
W	0.115	0.135		129	.730	130	1128		
X	0.308	0.313		310	210	.310	-309		
Υ	0.760	0.765		.760	,760	.760	.761		,
Z	0.352	0.372		-360	.362	.361	.363		
AA	0.470	0.530		.506	,500	. 500	.500		
AB	0.615	0.635		.628	,630	-631	.633		
AC	0.053	0.073		.063	· D/03	.063	.0/.3		
AD	0.240	0.260		.245	-246	246	247		
ΑE	1.500	1.520		1.571	1.571	1.571	1.572		
AF	0.115	0.135		125	-125	. 121	.126		
AG	0.240	0.280		.260	,260	-260	.246		
AH	0.240	0.260		, 250	.257	.350	.250		
Al	2.000	2.020		2.001	2.001	2.000	2.003		
AJ	0.023	0.043		.033	.033	.033	. 633		
	Acc	ept/Reje	ct			7			

		_					
Measured by:	Chil.		Audited by		9 ,	7 1	
Date:	08/07/06]	Date:	•	05	(4/1)	

Date	Change	Revised by	Approved
	New Issue	RF	
02.09.26	Re-format; Added Rev. D	KJ	
02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
05.05.05	Added dimension Al	KJ/RF	-1
05.12.05	Added dimension AJ	KJ/JLM A	
	02.09.26 02.10.11 05.05.05	New Issue 02.09.26 Re-format; Added Rev. D 02.10.11 Re-format; Added DT8682, DT8683, DT8684 05.05.05 Added dimension Al	New Issue RF 02.09.26 Re-format; Added Rev. D KJ 02.10.11 Re-format; Added DT8682, DT8683, DT8684 KJ 05.05.05 Added dimension AI KJ/RF

Dart Ae	rospace L	_td	WORK ORDER CHANGES PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr QC Inspector PAR #: Fault Category: NCR: Yes No DQA: Date: QA: N/C Closed: Date: WORK ORDER NON-CONFORMANCE (NCR)						
W/O:			WORK ORDER (CHANGES					
DATE	STEP	PRO	OCEDURE CHANGE		Ву	Date	Qty	Chief Eng /	Approval QC Inspector
	;								
		: :	·						
Part No	•	PAR #:	Fault Category:	NC	R: Yes	No DQA	\:	Date:	
					QA: N	I/C Closed	1:	_ Date: _	
NCR:	!		WORK ORDER NON-CON	FORMANCE	E (NCF	₹)			
DATE	STEP	Description of NC	Corrective Action		Sign 9	Verific	ation	Approval	Approval

NCR:	.		WORK ORD	ER NON-CONFORMAN	CE (NCR)			
DATE		Description of NC		Corrective Action Section B	3	Verification	Annroyal	Approval
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
							Ç	
•	i							
	1							
							·	

NOTE: Date & initial all entries


DART AEROSPACE LTD	Work Order:	39808
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Re	corded Actu				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443		.440	.440				
В	1.745	1.755		1.750	1,750				
С	3.495	3.505		3.500	3,500				
D	1.745	1.755		1.750	1,750				
E	7.990	8.010	72	8,000	8,000				
F	0.490	0.510		, 433	.504			1	
G	0.257	0.262		,259	.259				
• Н	0.375	0.380		. 378	-378				and the second of
ı	0.490	0.510		. 499	.500				
J	1.174	1.184		1.179	11.179				
. K	0.558	0.578		.566	.568				****
L	1.174	1.184		1.179	1.179				
M	1.365	1.375		1.370	1,370				
N	2.495	2.505	1 	2,506	2.500				
0	4.119	4.129		4,123	4.122			T	•
Р	0.115	0.135		125	,125.				
Q	0.115	0.135		135	. 135				
R	0.240	0.260		1.252	.252				,
S	0.115	0.135		./22	.127				
· Ť,	0.178	0.198		1.188	1.188				
·U	3.210	3.250		3.230	3.229				
V	0.230	0.250		.243	-242				
W	0.115	0.135		.129	,730				
·X	0.308	0.313		.369	310				
Υ	0.760	0.765		.760	-760				
Z	0.352	0.372		-361	. 362				
AA	0.470	0.530		· 50b	.500				
AB	0.615	0.635		.636	.630				
AC	0.053	0.073		.063	-0103				
AD	0.240	0.260		.244	.247				
AE	1.500	1.520		1.572	1.511				
AF	0.115	0.135		.126	. 124				
AG	0.240	0.280		.246	260	.4			
AH _	0.240	0.260		. 25%	,257				
Al	2.000	2.020		2,002	2,000				
AJ	0.023	0.043		.033	.033				
	Acc	ept/Reje	ct						

					·			
	. Measured by:	Bul	Audited by	(3	/	/	
ſ	Date:	08/07/06	Date:		08	(-7/	07	

Date	Change	Revised by	Approved
	New Issue	RF'	
02.09.26	Re-format; Added Rev. D	KJ	
02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
05.05.05	Added dimension Al	KJ/RF	-1
05.12.05	Added dimension AJ	KJ/JLM 🚓	- all
-	02.09.26 02.10.11 05.05.05	New Issue 02.09.26 Re-format; Added Rev. D 02.10.11 Re-format; Added DT8682, DT8683, DT8684 05.05.05 Added dimension Al	New Issue RF 02.09.26 Re-format; Added Rev. D KJ 02.10.11 Re-format; Added DT8682, DT8683, DT8684 KJ 05.05.05 Added dimension Al KJ/RF



• ••• *t*4 . • .